




COLORix SUB PRO S16 MACHINE



HI-SPEED SUBLIMATION DIGITAL PRINTING SYSTEM

Features

- ✓ Industrial inkjet printhead application
- ✓ Support 6 colors, multiple configuration options
- ✓ High speed and high precision printing
- ✓ Maximum 2000mm print width
- ✓ Support various materials
- ✓ Low consumption, low maintenance rate, low cost



COLORIX SUB PRO S16 MACHINE



(m²/hr)

Express Mode		1300 (resolution: 300* 600dpi)
Quality Mode		650 (resolution: 300* 1200dpi)

Printing technology	
Printhead	EPSON S3200-AI, 24
Printing speed	Express Mode 1300M ² /h
	Quality Mode 650M ² /h
Printhead maintain	Automatic cleaning and moisturizing
Ink solution	
Ink type	Dye sublimation inks, Pigment ink
Color scheme	6 colors
Cartridge capacity	10L/color
Ink supply mode	Automatic degassing, automatic negative pressure, ink circulation
Media handling system	
Media loadin	roll to roll
Media dimension	Max. roll diameter 1100mm, Max. weight 1000KG
Printing format	Max. 2000mn
Media format	Max. 2050mm
Media type	Heat transfer paper, wood grain paper, corrugated paper, film, etc., the minimum weight of 31g
Data transfer	
Data interface	Optical data communication, USB3.O
Rip software	FLORA, NeoStampa, ONYX, other
Dimensions	
Machine size	Net size (LxWxH) : 4300x1400x2300nm Packa e size (LxWxH) : 4450x1400x2350mm
Rewinding size	Net size (LxWxH) : 2610x1300x1150mm Packa e size (LxWxH) : 2700x1550x1450mm
Net weight	Machine is 2300KG. Winding is 500KG
Environment requirements	
Temperature	25~28℃
Humidity	60%~70% no-condensing
Power & Air pressure requirements	
Power	Machine: AC380V±10% 50/60HZ 20A Dryer: AC380V±10% 50/60HZ 63A
Air	Clean and dry air ≥0.6Mpa, 0.6M3/min, Air tank≥30L

Application



Garments



Bedclothes



Fashion Accessories



Furniture



Curtain



Wallpaper




Tablecloth

Applicable Fabrics



Thin Film



Wood Grain Paper



Edge Paper



Orange O Tec Pvt. Ltd.

Shed No. A2/7111, Road No.71, Gate No. 01 G.I.D.C Sachin,
Surat - 394230, (Guj.) India.

+91 74900 43336

sales@orangeotec.com

www.orangeotec.com